



STEAM
Equipments

STREAM SELECTOR UNIT

Model : SS301/SS302



Application :

This STREAM SELECTOR UNIT is based on a popular 8-bit Microcontroller. The system is designed to control the timing of stream selection of up to eight streams system using its timer and relay outputs. It also generates Sample and Hold analog outputs for each channel.

Specifications:

- No. of Streams: Up to 8
- Operating Voltage: 110-230 VAC +/- 10%, 1 Phase, 50 Hz Nominal
- Key board: 12 keys keypad
- Display: 7 digit 7-Segment, 0.56" Green/Red LED
 - 20 Character x 4 Line LCD
- Display: 16/32 Discrete LEDs for process status Indication
- Relays: Stream selection: Up to 8 Relays 2 C/O type
- Stream selection logic: time based or external input triggered
- Alarm Relays (Optional):
 - Up to 8 Relays 1 C/O type
 - Common Alarm (Optional):
 - 1 Relay 1 C/O type
 - Contact rating: 2A/250 AC, Resistive for each relay
- Analog Input:
 - 1 channel, 4 to 20 mA
- Analog Output: Up to 16 Channels, 4 to 20 mA
 - One Output or Dual Output per stream
- Dimension:
 - Outer: 270 (W) x 133.5 (H) x 260 (D)
 - Cutout: 228 (W) x 133.5 (H)
- Weight: 6 Kgs
- Enclosure: General purpose, Made up of Aluminum, Panel Mount

Mfg & Marketed by
Steam Equipments Pvt Ltd
No-44, Tiny Industrial Estate
Kondhwa Budurk, Pune – 411 048
Phone / Fax : +91 (20) 2693 0908, 26930959
Email : sales@steamequipments.com
<http://www.steamequipments.com>

Representatives

India : Pune, Mumbai, Delhi, Bangalore,
Hyderabad, Chandigarh, Goa, Surat,
Korba, Jemshedpur, Nagpur
Overseas : Dubai (UAE), Oman, Saudi
Arabia ,Indonessia, Malaysia, Hongkong,
United Kingdom, USA, Egypt